

CALCIUM CARBONATE (PRECIPITATED / GROUND)

Date of compilation: 09-08-2026 | Revised: 09-08-2026 | Version: 1

SECTION 1: IDENTIFICATION

1.1 GHS Product identifier:
CALCIUM CARBONATE
Precipitated Calcium Carbonate (PCC) / Ground Calcium Carbonate (GCC); Limestone Powder; Chalk; E170
CAS: 471-34-1

Other means of identification:
Not relevant

1.2 Recommended use of the chemical and restrictions on use:
Relevant uses: Filler in paper, plastics, paint, rubber and adhesives; antacid and dietary calcium supplement; construction material (cement/lime feedstock); water and effluent treatment (pH adjustment/neutralisation); food additive (E170). For industrial user only.
Uses advised against: All uses not specified in this section or in section 7.3.

1.3 Supplier's details:
SURAJ CHEMICALS
No 92, Govindappa Naicken Street, Shiva Complex, Chennai – 600001, Tamil Nadu, India
Tel: +91 - 7092722822, +91 - 9840284032 / +91 - 44 - 25393652, 42130281
Email: sales@surajchemicals.com | Website: www.surajchemicals.com
GST No: 33ACEPV8190L1ZZ

1.4 Emergency phone number:
Emergency Contact No: +91 - 7092722822, +91 - 9840284032

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:
GHS:
Classification of this product has been carried out in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). Calcium carbonate does not meet the classification criteria for any physical, health or environmental hazard class under GHS.

Not classified	Not a hazardous substance according to GHS criteria
----------------	---

2.2 GHS label elements, including precautionary statements:
GHS: No signal word / No pictogram required

Hazard statements:
None allocated. Not classified as hazardous under GHS.

Precautionary statements:
P260: Avoid breathing dust.
P264: Wash hands thoroughly after handling.
P280: Wear protective gloves/eye protection when handling large quantities.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501: Dispose of contents/container in accordance with local regulations.

2.3 Other hazards which do not result in classification:
Fine dust in high airborne concentrations may cause mechanical irritation of the eyes, skin and respiratory tract, and nuisance dust exposure over time. Not a PBT or vPvB substance. Natural ground calcium carbonate may contain trace crystalline silica depending on source/deposit – consult the product's specific certificate of analysis.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances:
Chemical description: Calcium carbonate (CaCO₃)
In accordance with Annex 4.3.3 of the GHS, the product contains:

Identification	Chemical Name / Classification	Concentration
CAS: 471-34-1	Calcium Carbonate — Not classified as hazardous	≥ 95–98.5% (precipitated or ground grade, per certificate of analysis)

To obtain more information on the hazards of the substances, consult sections 11, 12 and 16.

3.2 Mixtures:
Non-applicable

SECTION 4: FIRST AID MEASURES

4.1 Description of necessary first-aid measures:
Generally regarded as of low toxicological concern; first aid measures below are precautionary.

By inhalation:
Remove person to fresh air. Seek medical attention if irritation, coughing or breathing difficulty persists.

By skin contact:
Wash with plenty of water. Not normally an irritant.

By eye contact:
Rinse immediately with plenty of water for at least 15 minutes, holding eyelids apart. Remove contact lenses if present and easy to do. Seek medical attention if irritation persists.

By ingestion/aspiration:
Rinse mouth with water. Not normally hazardous by ingestion; give water to drink if large quantities are swallowed.

4.2 Most important symptoms/effects, acute and delayed:
May cause mild, transient mechanical irritation of eyes, skin or respiratory tract on prolonged or repeated contact with dust. No significant delayed effects known for the pure substance.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:
Not relevant. Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

- 5.1 Suitable extinguishing media:**
Suitable: Product is non-combustible. Use extinguishing media suitable for the surrounding fire (water spray, foam, dry chemical powder, carbon dioxide).
Unsuitable: None known
- 5.2 Specific hazards arising from the chemical:**
Not flammable, not explosive. Product itself will not burn. On very strong heating (> 825°C) decomposes to calcium oxide (lime) and carbon dioxide.
- 5.3 Special protective actions for fire-fighters:**
No special measures required beyond standard fire-fighting practice.
- Additional provisions:**
None specific.

SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures:**
For non-emergency personnel:
Avoid generating and breathing dust. Use personal protective equipment as described in section 8. Spilled powder can be a slip hazard.
- For emergency responders:**
No special equipment beyond standard PPE (dust mask, gloves, goggles) is normally required.
- 6.2 Environmental precautions:**
Not classified as an environmental hazard. Prevent large quantities from entering drains/waterways to avoid siltation.
- 6.3 Methods and materials for containment and cleaning up:**
Sweep up or vacuum spilled material avoiding dust generation, and place in a suitable labelled container for reuse or disposal.
- 6.4 Reference to other sections:**
See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling:**
A. General precautions for safe use:
Avoid generating dust. Handle with normal industrial hygiene practices.
- B. Technical recommendations for the prevention of fires and explosions:**
Not applicable – product is non-combustible; very fine dust in high concentration in enclosed equipment could theoretically pose a minor combustible-dust housekeeping consideration common to all fine mineral powders – maintain good housekeeping.
- C. Technical recommendations on general occupational hygiene:**
Do not eat, drink or smoke while handling. Wash hands after handling.
- D. Technical recommendations to prevent environmental risks:**
Avoid uncontrolled release of large quantities to water bodies (siltation/turbidity).
- 7.2 Conditions for safe storage, including any incompatibilities:**
A. Specific storage requirements:
- | | |
|------------------------|--|
| Storage temperature | Ambient |
| Recommended shelf life | Indefinite when kept dry; typical stock rotation 24 months |
- B. General conditions for storage:**
Store in a dry, well-ventilated place. Keep bags off the floor on pallets, away from strong acids.
- 7.3 Specific end use(s):**
Except for the instructions already specified, it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.1 Control parameters:**
No substance-specific occupational exposure limit has been established for pure calcium carbonate by OSHA, ACGIH or Indian regulatory bodies. General limits for particulates not otherwise classified (nuisance dust) are commonly applied as guidance:
- | Identification | Occupational Exposure Limit Type | Value |
|--|----------------------------------|----------|
| Calcium Carbonate (as inert/nuisance dust guidance)
CAS: 471-34-1 | Inhalable fraction, 8-hr TWA | 10 mg/m³ |
| | Respirable fraction, 8-hr TWA | 3 mg/m³ |
- 8.2 Appropriate engineering controls:**
Use local exhaust ventilation where dust is generated (bagging, milling, transfer operations).
- B. Respiratory protection:**
Not normally required under adequate ventilation. Dust mask/particulate respirator (e.g. N95) recommended during bagging, milling or extended dusty operations.
- C. Specific protection for the hands:**
Protective gloves recommended for prolonged handling.
- D. Eye and face protection:**
Safety glasses or goggles recommended where dust generation is significant.
- E. Bodily protection:**
Ordinary work clothing; dust-protective overalls for prolonged bagging/loading operations.
- F. Additional emergency measures:**
Eyewash station recommended in areas of regular handling.
- Environmental exposure controls:**
No special environmental exposure controls required beyond good housekeeping.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Information on basic physical and chemical properties:**
- | Appearance | |
|------------------------|-------------------|
| Physical state at 20°C | Solid (powder) |
| Appearance | Fine white powder |
| Color | White |
| | |

Odor	Odorless
Odour threshold	Not applicable
Volatility	
Boiling point at atmospheric pressure	Not applicable (solid, decomposes rather than boils)
Vapour pressure at 20°C	Not applicable (negligible, solid)
Evaporation rate	Not applicable
Product Description	
Density at 20°C	2.7–2.95 g/cm³ (calcite/aragonite crystal forms)
Bulk density	~800–1300 kg/m³ (grade dependent)
Molecular weight	100.09 g/mol
pH (aqueous suspension, 20°C)	~9.0–9.5 (slightly alkaline)
Solubility in water at 20°C	Practically insoluble (~0.0014 g/100 mL; increases as calcium bicarbonate in presence of dissolved CO&sub2;)
Partition coefficient n-octanol/water	Not applicable (inorganic salt)
Decomposition temperature	~825–900°C (calcines to CaO + CO&sub2;)
Melting point/freezing point	Not applicable (decomposes prior to melting at atmospheric pressure)
Flammability	
Flash Point	Non-applicable (non-combustible solid)
Flammability (solid, gas)	Non-flammable
Autoignition temperature	Not applicable
Lower / Upper flammability limit	Not applicable
Particle Characteristics	
Median particle size	Typically 1–40 microns (grade dependent, precipitated vs. ground) – available on request per grade

Values are standard published physical constants for calcium carbonate; grade-specific particle size distribution and brightness available on request.

9.2 Other information:

Explosive properties	Not explosive
Oxidising properties	Not an oxidiser
Corrosive to metals	Not corrosive to metals
Heat of combustion	Not applicable (non-combustible)
Surface tension	Not relevant (solid)
Viscosity	Not applicable (solid)

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

Reacts with acids to liberate carbon dioxide gas. No other significant reactivity hazards under normal conditions.

10.2 Chemical stability:

Chemically stable under normal conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected, other than gas evolution when mixed with strong acids.

10.4 Conditions to avoid:

Shock/Friction	Contact with Air	Increase in Temperature	Sunlight	Humidity
Not applicable	Not applicable	Avoid > 825°C (calcination)	Not applicable	Not applicable

10.5 Incompatible materials:

Strong Acids	Aluminium (powder, in presence of moisture)	Ammonium Salts
Avoid – CO&sub2; evolution	Avoid contact	May release ammonia gas slowly

10.6 Hazardous decomposition products:

Carbon dioxide and calcium oxide on strong heating (calcination). Non-hazardous under normal use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

Calcium carbonate is a substance of very low acute toxicity and is widely used in food, pharmaceutical (antacid/calcium supplement) and personal-care applications.

A. Ingestion (acute effect):

Very low acute oral toxicity. Excessive doses may cause gastrointestinal disturbance (constipation, milk-alkali type effects with chronic very high intake).

B. Inhalation (acute effect):

Dust may cause mild, transient irritation of the nose, throat and respiratory tract; prolonged excessive dust exposure is associated with nuisance-dust effects.

C. Contact with skin and eyes (acute effect):

Not a skin or eye irritant under normal conditions; dust may cause mild mechanical irritation.

D. CMR effects (carcinogenicity, mutagenicity, reproductive toxicity):

Not classified as a carcinogen, mutagen or reproductive toxicant by IARC, OSHA, NTP or ACGIH for the pure substance.

E. Sensitizing effects:

Not known to be a skin or respiratory sensitizer.

F. Specific target organ toxicity (STOT) – single exposure:

Not classified.

G. Specific target organ toxicity (STOT) – repeated exposure:

Not classified for the pure substance; chronic excessive inhalation of any mineral dust can contribute to pneumoconiosis-type effects – standard dust control practice applies.

H. Aspiration hazard:

Not applicable (solid).

Product-specific toxicological information:

--	--	--

Identification	Acute Toxicity	Genus
Calcium Carbonate CAS: 471-34-1	LD50 oral: >6,450 mg/kg (practically non-toxic)	Rat
	LD50 dermal: Not established (low expected toxicity)	–

SECTION 12: ECOLOGICAL INFORMATION

Not classified as hazardous to the aquatic environment.

12.1 Toxicity:

Acute Toxicity	Species	Genus
LC50: >100 mg/L (low order of aquatic toxicity; effects mainly physical/turbidity-related)	Non-applicable	Fish
EC50: Not established	Non-applicable	Crustacean

12.2 Persistence and degradability:

Not applicable – naturally occurring inorganic mineral; not subject to biodegradation.

12.3 Bioaccumulative potential:

Not expected to bioaccumulate (essentially insoluble inorganic mineral).

12.4 Mobility in soil:

Koc	Henry	Dry Soil	Moist Soil
Not relevant	Not relevant	Low mobility (insoluble)	Low mobility

12.5 Results of PBT and vPvB assessment:

Non-applicable – not a PBT or vPvB substance.

12.6 Other adverse effects:

Large releases may cause physical turbidity/siltation effects in water bodies.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

Product may be disposed of as non-hazardous solid/mineral waste in accordance with local regulations, e.g. as landfill cover or construction material, subject to local regulatory approval. Empty packaging can be recycled or disposed of as non-hazardous waste after ensuring it is empty of residue.
Refer to national and local regulations on waste management.

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land (ADR 2023 / RID 2023):

14.1 UN number	Not assigned – not regulated
14.2 UN proper shipping name	Non-applicable
14.3 Transport hazard class(es)	Non-hazardous for transport
14.4 Packing group	N/A
14.5 Environmental hazard	No
14.6 Special precautions for user	None
14.7 Transport in bulk (Annex II MARPOL 73/78, IBC Code)	Not relevant

Transport of dangerous goods by sea (IMDG):

14.1 UN number	Not assigned – not regulated
14.2 UN proper shipping name	Non-applicable
14.3 Transport hazard class(es)	Non-hazardous for transport
14.4 Packing group	N/A
14.5 Marine pollutant	No
14.6 Special precautions for user	None
14.7 Transport in bulk (Annex II MARPOL 73/78, IBC Code)	Not relevant

Transport of dangerous goods by air (IATA/ICAO):

14.1 UN number	Not assigned – not regulated
14.2 UN proper shipping name	Non-applicable
14.3 Transport hazard class(es)	Non-hazardous for transport
14.4 Packing group	N/A
14.5 Environmental hazard	No
14.6 Special precautions for user	None
14.7 Transport in bulk (Annex II MARPOL 73/78, IBC Code)	Not relevant

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

Calcium carbonate is a permitted food additive (E170) and is not classified as a hazardous chemical under Indian or international GHS-based regulations. It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of local circumstances.

Other legislation:

The Factories Act, 1948 (Act No. 63 of 1948), as amended by the Factories (Amendment) Act, 1987 (Act 20 of 1987)
Food Safety and Standards Act, 2006 (where applicable to food-grade material)
Mines Act, 1952 (where applicable to sourced mineral material)

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Annex 4 – Guidance on the preparation of Safety Data Sheets of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Texts of the legislative phrases mentioned in sections 2 and 3:

Not classified – no hazard statements allocated to this product.

The information provided is for informative purposes and refers to the substance identified in section 3.

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

Publicly available chemical safety data for calcium carbonate (CAS 471-34-1), including PubChem and standard industry safety data sheets.

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road | IMDG: International maritime dangerous goods code | IATA: International Air Transport Association | ICAO: International Civil Aviation Organisation | LD50: Lethal Dose 50 | LC50: Lethal Concentration 50 | EC50: Effective Concentration 50 | Koc: Partition coefficient of organic carbon | IARC: International Agency for Research on Cancer | PBT: Persistent, Bioaccumulative and Toxic | vPvB: very Persistent, very Bioaccumulative

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product; it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within Suraj Chemicals' awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

END OF SAFETY DATA SHEET

SURAJ CHEMICALS | No 92, Govindappa Naicken Street, Shiva Complex, Chennai – 600001 | +91 - 7092722822, +91 - 9840284032 | sales@surajchemicals.com | www.surajchemicals.com