

SILICA GEL BLUE

Date of compilation: 19-08-2026 | Revised: 19-08-2026 | Version: 1

SECTION 1: IDENTIFICATION

1.1 GHS Product identifier:

SILICA GEL BLUE
Blue Indicating Silica Gel; Amorphous Silica Desiccant (Moisture-Indicating)
CAS: 112926-00-8 (silica gel, amorphous, matrix)

The specific moisture-indicating dye system used in this "blue" grade (traditional cobalt(II) chloride-based indicator, or a cobalt-free indicator formulated to give a comparable blue-to-pink colour change) is manufacturer/batch dependent – exact indicator composition and concentration is available on request per batch Certificate of Analysis.

Other means of identification:

Not relevant

1.2 Recommended use of the chemical and restrictions on use:

Relevant uses: Desiccant/drying agent for packaging, containers, instrument cases and storage of moisture-sensitive goods; moisture indication by colour change (blue when dry, pink/colourless when saturated). For industrial and packaging use.
Uses advised against: Not for food-contact use unless specifically certified food-grade (this indicating grade is not intended for direct food contact). All uses not specified in this section or in section 7.3.

1.3 Supplier's details:

SURAJ CHEMICALS
No 92, Govindappa Naicken Street, Shiva Complex, Chennai – 600001, Tamil Nadu, India
Tel: +91 - 7092722822, +91 - 9840284032 / +91 - 44 - 25393652, 42130281
Email: sales@surajchemicals.com | Website: www.surajchemicals.com
GST No: 33ACEPV8190L1ZZ

1.4 Emergency phone number:

Emergency Contact No: +91 - 7092722822, +91 - 9840284032

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

GHS:
The silica gel matrix itself (amorphous silica, CAS 112926-00-8) is **not classified** as hazardous under GHS criteria in its dry granular/bead form. Where this grade contains a cobalt(II) chloride-based moisture indicator, the finished product may warrant classification depending on the indicator concentration, as cobalt(II) chloride (CAS 7646-79-9) is itself classified Carc. 1B, Muta. 2, Repr. 1B, STOT RE 1, Acute Tox. 4, Skin Sens. 1, Aquatic Acute 1 as a pure substance. Suraj Chemicals recommends customers request the current batch COA/SDS supplement confirming the specific indicator type (cobalt-based or cobalt-free) and its concentration before use in sensitive applications.

Not classified (silica gel matrix)	No hazard category applies to the amorphous silica gel matrix based on standard data for this substance
See note above	Classification of the finished indicating product depends on the specific indicator dye system and concentration used in the batch supplied – available on request

2.2 GHS label elements, including precautionary statements:

GHS: No pictogram/signal word required for the silica gel matrix as supplied; refer to batch-specific labelling if a cobalt-based indicator is confirmed present.

Hazard statements:

None assigned to the amorphous silica gel matrix.

Precautionary statements:

P261: Avoid breathing dust.
P264: Wash hands thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P280: Wear protective gloves/eye protection when handling bulk/loose material.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501: Dispose of contents/container in accordance with local regulations.

2.3 Other hazards which do not result in classification:

This product is manufactured from amorphous silica and does not contain crystalline silica (quartz/cristobalite). Fine dust from handling loose beads may cause mechanical/nuisance irritation to eyes and respiratory tract. Small sachets are a choking hazard if swallowed by children/pets – keep out of reach. Not a PBT/vPvB substance for the silica matrix.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures:

Chemical description: Amorphous silica gel beads/granules impregnated with a moisture-sensitive colour-change indicator.

Identification	Chemical Name / Classification	Concentration
CAS: 112926-00-8	Silica gel, amorphous – Not classified	>98%
Proprietary	Moisture-indicating dye system (cobalt-based or cobalt-free, batch dependent) – classification available on request	<2% (typically <1%)

To obtain more information on the hazards of the substances, consult sections 11, 12 and 16, and request the current batch COA for confirmation of indicator type.

SECTION 4: FIRST AID MEASURES

4.1 Description of necessary first-aid measures:

Request medical assistance immediately, showing the SDS of this product, if symptoms occur or persist.

By inhalation:

Remove the person affected to fresh air and keep at rest.

By skin contact:

Wash skin thoroughly with plenty of water and soap.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Remove contact lenses if present and easy to do. Seek medical attention if irritation persists.

By ingestion/aspiration:

Silica gel beads are physiologically inert but present a choking/blockage hazard, especially in children. If sachet/beads are swallowed, seek medical advice. Do not induce vomiting. Rinse mouth with water.

4.2 Most important symptoms/effects, acute and delayed:

Mechanical irritation from dust. No specific toxic effects expected from the silica gel matrix. See section 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Not relevant for the silica gel matrix.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media:

Suitable: Product is non-combustible; use extinguishing media appropriate to the surrounding fire (water spray, foam, dry chemical powder, carbon dioxide).
Unsuitable: None known

5.2 Specific hazards arising from the chemical:

Not flammable, not explosive. Silica gel is an exothermic absorber of moisture – it can generate mild heat on rapid rehydration but this does not present a fire hazard.

5.3 Special protective actions for fire-fighters:

Wear self-contained breathing apparatus and full protective clothing in case of surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Avoid raising dust. Use appropriate PPE (see Section 8).

For emergency responders:

Not normally required; sweep/vacuum spilled beads.

6.2 Environmental precautions:

Prevent entry into drains and watercourses in bulk quantity.

6.3 Methods and materials for containment and cleaning up:

Sweep or vacuum up spilled beads and place in a suitable container for disposal or reuse.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A. General precautions for safe use:

Avoid generating and breathing dust. Keep sachets/containers sealed until point of use to preserve absorption capacity.

B. Technical recommendations for the prevention of fires and explosions:

Non-combustible – no special fire prevention measures required.

C. Technical recommendations on general occupational hygiene:

Do not eat, drink or smoke while handling loose material. Wash hands after handling.

D. Technical recommendations to prevent environmental risks:

No special measures required beyond good housekeeping.

7.2 Conditions for safe storage, including any incompatibilities:

A. Specific storage requirements:

Minimum Temp.	5°C
Maximum Temp.	40°C
Maximum time (unopened, sealed packaging)	24 Months

B. General conditions for storage:

Store in tightly sealed, moisture-proof original packaging in a cool, dry place. Once opened, reseal promptly to preserve absorption capacity.

7.3 Specific end use(s):

Except for the instructions already specified, it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters:

No specific occupational exposure limit is established for amorphous silica gel under the Factories Act, 1948. General nuisance dust limits (particulates not otherwise classified) of 10 mg/m³ (total dust, 8-hr TWA) are recommended as good practice for handling of loose beads.

8.2 Appropriate engineering controls:

General ventilation is normally sufficient. Use local exhaust where significant dust is generated (e.g. bulk transfer/re-packing).

B. Respiratory protection:

Dust mask/filtering half-mask where dust generation is possible during bulk handling.

C. Specific protection for the hands:

Standard work gloves for bulk handling; not required for sealed sachet handling.

D. Eye and face protection:

Safety glasses recommended when handling loose bulk material.

E. Bodily protection:

Standard work clothing.

F. Additional emergency measures:

Eyewash station recommended where bulk material is handled.

Environmental exposure controls:

No special measures required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance	
Physical state at 20°C	Solid (granules/beads)
Appearance	Translucent hard granules/beads
Color	Blue (dry) turning pink/colourless when saturated with moisture
Odor	Odorless
Odour threshold	Not relevant *

Volatility	
Boiling point at atmospheric pressure	Non-applicable (solid, decomposes/dehydrates >600°C)
Vapour pressure at 20°C / 50°C	Not relevant *
Evaporation rate at 20°C	Not relevant *
Product Description	
Bulk density	Approx. 0.70–0.75 g/cm³
Dynamic / Kinematic viscosity	Non-applicable (solid)
Concentration	>98% SiO2 (matrix)
pH (5% aqueous slurry)	Approx. 4–7
Vapour density at 20°C	Not relevant *
Partition coefficient n-octanol/water 20°C	Not relevant (inorganic solid)
Solubility in water at 20°C	Practically insoluble; absorbs water (up to ~35% of own weight)
Decomposition temperature	Not applicable (thermally stable up to very high temperatures)
Melting point/freezing point	>1600°C
Flammability	
Flash Point	Non-applicable
Flammability (solid, gas)	Non-combustible
Autoignition temperature	Not relevant *
Lower / Upper flammability limit	Not relevant *
Particle Characteristics	
Median equivalent diameter	Typically 2–5 mm (bead/granule grade dependent)

* Not relevant due to the nature of the product, not providing information on the properties of its hazards.

9.2 Other information:

Explosive properties	Not explosive
Oxidising properties	Not an oxidizer
Corrosive to metals	Non-corrosive
Heat of combustion	Not relevant *
Surface tension at 20°C	Not relevant *
Refraction index	Not relevant *

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

Not reactive under normal conditions of use. Reacts with hydrofluoric acid and, at elevated temperature, with strong alkalis and molten metals.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions are not expected.

10.4 Conditions to avoid:

Shock/Friction	Contact with Air	Increase in Temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Reduces absorption capacity/lifespan if exposed prematurely

10.5 Incompatible materials:

Hydrofluoric Acid	Strong Alkalis (molten/hot)
Avoid contact	Avoid contact

10.6 Hazardous decomposition products:

None under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

Amorphous silica gel is generally regarded as of low toxicological concern and does not contain crystalline silica.

A. Ingestion (acute effect):

Practically non-toxic; physiologically inert. Beads present a physical choking/blockage hazard, not a chemical toxicity hazard.

B. Inhalation (acute effect):

Dust may cause mechanical irritation of the respiratory tract. Not classified as a respiratory hazard.

C. Contact with skin and eyes (acute effect):

May cause mechanical/mild irritation from dust or dry granules.

D. CMR effects (carcinogenicity, mutagenicity, reproductive toxicity):

Amorphous silica is not classified as a carcinogen (distinct from crystalline silica). If a cobalt-based indicator is confirmed present in this batch, note that cobalt(II) chloride is classified Carc. 1B as a pure substance – consult the batch COA (see Section 3).

E. Sensitizing effects:

Not classified as a sensitizer for the silica gel matrix.

F. Specific target organ toxicity (STOT) – single exposure:

Classification criteria are not met for the silica gel matrix.

G. Specific target organ toxicity (STOT) – repeated exposure:

Classification criteria are not met for the silica gel matrix.

H. Aspiration hazard:

Not applicable (solid).

Product-specific toxicological information:

--	--	--

Identification	Acute Toxicity	Genus
Silica gel, amorphous CAS: 112926-00-8	LD50 oral: >5000 mg/kg (practically non-toxic)	Rat

SECTION 12: ECOLOGICAL INFORMATION

Not classified as hazardous to the aquatic environment for the amorphous silica gel matrix.

12.1 Toxicity:
Amorphous silica has very low aquatic toxicity (LC50/EC50 typically >1000 mg/L for fish/invertebrates, class data). If a cobalt-based indicator is confirmed present, note cobalt(II) chloride is classified Aquatic Acute 1 as a pure substance at trace level – consult batch COA.

12.2 Persistence and degradability:
Inorganic substance; biodegradability testing not applicable.

12.3 Bioaccumulative potential:
Not expected to bioaccumulate.

12.4 Mobility in soil:

Koc	Henry	Dry Soil	Moist Soil
Not relevant	Not relevant	Low mobility (insoluble solid)	Low mobility

12.5 Results of PBT and vPvB assessment:
Non-applicable (inorganic substance)

12.6 Other adverse effects:
Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:
Spent/saturated silica gel may generally be disposed of as general/inert solid waste in accordance with local regulations, unless a cobalt-based indicator is confirmed present in this batch, in which case dispose of as per local hazardous waste requirements for cobalt-containing material.
Refer to national and local regulations on waste management.

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land (ADR 2023 / RID 2023):

14.1 UN number	Not regulated as dangerous goods
14.2 UN proper shipping name	Non-applicable
14.3 Transport hazard class(es)	Non-applicable
14.4 Packing group	Non-applicable
14.5 Environmental hazard	No
14.6 Special precautions for user	Physico-chemical properties: see section 9
14.7 Transport in bulk (Annex II MARPOL 73/78, IBC Code)	Not relevant

Transport of dangerous goods by sea (IMDG 41-22):

14.1 UN number	Not regulated as dangerous goods
14.2 UN proper shipping name	Non-applicable
14.3 Transport hazard class(es)	Non-applicable
14.4 Packing group	Non-applicable
14.5 Marine pollutant	No
14.6 Special precautions for user	Not regulated
14.7 Transport in bulk (Annex II MARPOL 73/78, IBC Code)	Not relevant

Transport of dangerous goods by air (IATA/ICAO 2024):

14.1 UN number	Not regulated as dangerous goods
14.2 UN proper shipping name	Non-applicable
14.3 Transport hazard class(es)	Non-applicable
14.4 Packing group	Non-applicable
14.5 Environmental hazard	No
14.6 Special precautions for user	Not regulated
14.7 Transport in bulk (Annex II MARPOL 73/78, IBC Code)	Not relevant

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:
It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of local circumstances, in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:
The Factories Act, 1948 (Act No. 63 of 1948), as amended by the Factories (Amendment) Act, 1987 (Act 20 of 1987)
EU REACH Regulation restrictions applicable to cobalt(II) chloride, where a cobalt-based indicator is confirmed present (customer to verify batch COA)
Public Liability Insurance Act, 1991

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:
This safety data sheet has been designed in accordance with Annex 4 – Guidance on the preparation of Safety Data Sheets of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Texts of the legislative phrases mentioned in sections 2 and 3:
H302: Harmful if swallowed.
H317: May cause an allergic skin reaction.
H330/H331: Fatal/Toxic if inhaled (applicable only if a cobalt-based indicator is confirmed present, per substance classification of cobalt(II) chloride).
H341: Suspected of causing genetic defects.
H350i: May cause cancer by inhalation.

H360F: May damage fertility.
H372: Causes damage to organs through prolonged or repeated exposure.
H400: Very toxic to aquatic life.
The phrases indicated do not refer to the silica gel product itself; they are present merely for informative purposes should a cobalt-based indicator be confirmed present in the batch supplied – see section 3 and consult the batch COA.

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

The United Nations Economic Commission for Europe (UNECE); publicly available GHS classification and physicochemical reference data for amorphous silica gel (CAS 112926-00-8) and, where relevant, cobalt(II) chloride (CAS 7646-79-9).

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road | IMDG: International maritime dangerous goods code | IATA: International Air Transport Association | ICAO: International Civil Aviation Organisation | LD50: Lethal Dose 50 | LC50: Lethal Concentration 50 | COA: Certificate of Analysis

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product; it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within Suraj Chemicals' awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

END OF SAFETY DATA SHEET